

MICROBIOTA INTESTINALE E PATOLOGIE CARDIOVASCOLARI: IL FUTURO DELL'ALIMENTAZIONE

ANDREA BARAGETTI, ELISA MATTAVELLI

Università degli Studi di Milano / S.I.S.A. per lo Studio della
Aterosclerosi, Ospedale Bassini | Italia

RIFERIMENTI BIBLIOGRAFICI

1. Karlsson, F.H., Fåk, F., Nookaew, I., Tremaroli, V., Fagerberg, B., Petranovic, D., Bäckhed, F., Nielsen, J. (2012). Symptomatic atherosclerosis is associated with an altered gut metagenome. *Nat Commun*, 3(1),1245.
2. Emoto, T., Yamashita, T., Kobayashi, T., Sasaki, N., Hirota, Y., Hayashi, T., So, A., Kasahara, K., Yodoi, K., Matsumoto, T., et al. (2017). Characterization of gut microbiota profiles in coronary artery disease patients using data mining analysis of terminal restriction fragment length polymorphism: gut microbiota could be a diagnostic marker of coronary artery disease. *Heart Vessels*, 32(1),39–46.
3. Jie, Z., Xia, H., Zhong, S.-L., Feng, Q., Li, S., Liang, S., Zhong, H., Liu, Z., Gao, Y., Zhao, H., et al. (2017). The gut microbiome in atherosclerotic cardiovascular disease. *Nat Commun*, 8(1),845.
4. David, L.A., Maurice, C.F., Carmody, R.N., Gootenberg, D.B., Button, J.E., Wolfe, B.E., Ling, A. V., Devlin, A.S., Varma, Y., Fischbach, M.A., et al. (2014). Diet rapidly and reproducibly alters the human gut microbiome. *Nature*, 505(7484),559–63.
5. Berry, S.E., Valdes, A.M., Drew, D.A., Asnicar, F., Mazidi, M., Wolf, J., Capdevila, J., Hadjigeorgiou, G., Davies, R., Al Khatib, H., et al. (2020). Human postprandial responses to food and potential for precision nutrition. *Nat Med*, 26(6),964–73.
6. Tang, W.H.W., Wang, Z., Fan, Y., Levison, B., Hazen, J.E., Donahue, L.M., Wu, Y., Hazen, S.L. (2014). Prognostic Value of Elevated Levels of Intestinal Microbe-Generated Metabolite Trimethylamine-N-Oxide in Patients With Heart Failure. *J Am Coll Cardiol*, 64(18),1908–14.
7. Mente, A., Chalcraft, K., Ak, H., Davis, A.D., Lonn, E., Miller, R., Potter, M.A., Yusuf, S., Anand, S.S., McQueen, M.J. (2015). The Relationship Between Trimethylamine-N-Oxide and Prevalent Cardiovascular Disease in a Multiethnic Population Living in Canada. *Can J Cardiol*, 31(9),1189–94.
8. Trøseid, M., Ueland, T., Hov, J.R., Svardal, A., Gregersen, I., Dahl, C.P., Aakhus, S., Gude, E., Bjørndal, B., Halvorsen, B., et al. (2015). Microbiota-dependent metabolite trimethylamine-N-oxide is associated with disease severity and survival of patients with chronic heart failure. *J Intern Med*, 277(6),717–26.
9. Wang, Z., Klipfell, E., Bennett, B.J., Koeth, R., Levison, B.S., DuGar, B., Feldstein, A.E., Britt, E.B., Fu, X., Chung, Y.-M., et al. (2011). Gut flora metabolism of phosphatidylcholine promotes cardiovascular disease. *Nature*, 472(7341),57–63.
10. Koeth, R.A., Lam-Galvez, B.R., Kirsop, J., Wang, Z., Levison, B.S., Gu, X., Copeland, M.F., Bartlett, D., Cody, D.B., Dai, H.J., et al. (2018). L-Carnitine in omnivorous diets induces an atherogenic gut microbial pathway in humans. *J Clin Invest*, 129(1),373–87.
11. Skagen, K., Trøseid, M., Ueland, T., Holm, S., Abbas, A., Gregersen, I., Kummen, M., Bjerkeli, V., Reier-Nilsen, F., Russell, D., et al. (2016). The Carnitine-butyrobetaine-trimethylamine-N-oxide pathway

and its association with cardiovascular mortality in patients with carotid atherosclerosis.
Atherosclerosis, 247,64–9.

12. Koren, O., Spor, A., Felin, J., Fåk, F., Stombaugh, J., Tremaroli, V., Behre, C.J., Knight, R., Fagerberg, B., Ley, R.E., et al. (2011). Human oral, gut, and plaque microbiota in patients with atherosclerosis. *Proc Natl Acad Sci*, 108(supplement_1),4592–8.
13. Dao, M.C., Everard, A., Aron-Wisnewsky, J., Sokolovska, N., Prifti, E., Verger, E.O., Kayser, B.D., Levenez, F., Chilloux, J., Hoyles, L., et al. (2016). Akkermansia muciniphila and improved metabolic health during a dietary intervention in obesity: relationship with gut microbiome richness and ecology. *Gut*, 65(3),426–36.
14. Macchione, I.G., Lopetuso, L.R., Ianiro, G., Napoli, M., Gibiino, G., Rizzatti, G., Petito, V., Gasbarrini, A., Scaldaferri, F. (2019). Akkermansia muciniphila: key player in metabolic and gastrointestinal disorders. *Eur Rev Med Pharmacol Sci*, 23(18),8075–83.
15. de Vos, W.M. (2017). Microbe Profile: Akkermansia muciniphila: a conserved intestinal symbiont that acts as the gatekeeper of our mucosa. *Microbiology*, 163(5),646–8.
16. Baragetti, A., Severgnini, M., Olmastroni, E., Dioguardi, C.C., Mattavelli, E., Angius, A., Rotta, L., Cibella, J., Caredda, G., Consolandi, C., et al. (2021). Gut Microbiota Functional Dysbiosis Relates to Individual Diet in Subclinical Carotid Atherosclerosis. *Nutrients*, 13(2),304.
17. Lee, S.H., Yun, Y., Kim, S.J., Lee, E.-J., Chang, Y., Ryu, S., Shin, H., Kim, H.-L., Kim, H.-N., Lee, J.H. (2018). Association between Cigarette Smoking Status and Composition of Gut Microbiota: Population-Based Cross-Sectional Study. *J Clin Med*, 7(9),282.
18. Shin, J.-H., Park, Y.-H., Sim, M., Kim, S.-A., Joung, H., Shin, D.-M. (2019). Serum level of sex steroid hormone is associated with diversity and profiles of human gut microbiome. *Res Microbiol*, 170(4–5),192–201.
19. O'Toole, P.W., Jeffery, I.B. (2015). Gut microbiota and aging. *Science* (80-), 350(6265),1214–5.
20. Holscher, H.D. (2017). Dietary fiber and prebiotics and the gastrointestinal microbiota. *Gut Microbes*, 8(2),172–84.
21. Kumar, J., Rani, K., Datt, C. (2020). Molecular link between dietary fibre, gut microbiota and health. *Mol Biol Rep*, 47(8),6229–37.
22. Bailén, M., Bressa, C., Martínez-López, S., González-Soltero, R., Montalvo Lominchar, M.G., San Juan, C., Larrosa, M. (2020). Microbiota Features Associated With a High-Fat/Low-Fiber Diet in Healthy Adults. *Front Nutr*, 7.
23. Haro, C., Rangel-Zúñiga, O.A., Alcalá-Díaz, J.F., Gómez-Delgado, F., Pérez-Martínez, P., Delgado-Lista, J., Quintana-Navarro, G.M., Landa, B.B., Navas-Cortés, J.A., Tena-Sempere, M., et al. (2016). Intestinal Microbiota Is Influenced by Gender and Body Mass Index. Sanz Y, editor. *PLoS One*, 11(5),e0154090.
24. Togo, A.H., Khelaifia, S., Bittar, F., Maraninchi, M., Raoult, D., Million, M. (2016). ' Eisenbergiella massiliensis ', a new species isolated from human stool collected after bariatric surgery. *New Microbes New Infect*, 13,15–6.
25. Méndez-Salazar, E.O., Ortiz-López, M.G., Granados-Silvestre, M. de los Á., Palacios-González, B., Menjivar, M. (2018). Altered Gut Microbiota and Compositional Changes in Firmicutes and Proteobacteria in Mexican Undernourished and Obese Children. *Front Microbiol*, 9.
26. Pirillo, A., Norata, G.D., Catapano, A.L. (2014). Postprandial lipemia as a cardiometabolic risk factor. *Curr Med Res Opin*, 30(8),1489–503.

NUTRA

HORIZONS Italia – 4 2022

27. Mattavelli, E., Catapano, A.L., Baragetti, A. (2021). Molecular Immune-Inflammatory Connections between Dietary Fats and Atherosclerotic Cardiovascular Disease: Which Translation into Clinics? *Nutrients*, 13(11),3768.